

**File: tulostettavat/static/templates/answerToQuestion.html**

```
1 <div class="popUpWindow" ng-controller="AnswerToQuestionController">
2 <h1>Question title: <span ng-
bind="questionTitle">Question</span></h1>
3 <div class="questionAskedWindow" >
4 <dynamic-answer-sheet control="dynamicAnswerSheetControl"></dynamic-
answer-sheet>
5 </div>
6 <div class="buttons">
7 <button ng-click="answer()">Answer</button>
8 <button ng-show="isLecturer" ng-click="close()">Close</button>
9 <button ng-show="isLecturer" ng-click="showAnswers()">Show
answers</button>
10 </div>
11 </div>
```

**File: tulostettavat/static/templates/lectureEnding.html**

```
1 <div class="lectureEnding popUpWindow">
2 <h1 ng-show="!lectureEnded">Lecture ends in 5 minutes</h1>
3
4 <h1 ng-show="lectureEnded">Lecture ends</h1>
5 <form class="extendLectureOptions">
6 <label> Extend by
7 <select ng-model="extendTime">
8 <option value="5">5</option>
9 <option value="15" selected>15</option>
10 <option value="30">30</option>
11 <option value="45">45</option>
12 <option value="60">60</option>
13 </select>
14 min
15 </label>
16 </form>
17 <div class="buttons">
18 <button autofocus ng-click="extendLecture()">Extend</button>
19 <button ng-show="lectureEnded" ng-
click="endLecture()">End</button>
20 <button ng-show="!lectureEnded" ng-
click="continueLecture()">Don't extend</button>
21 </div>
22 </div>
```

**File: tulostettavat/static/templates/lectureOptions.html**

```
1 <div class="popUpWindow">
2 <h1>Join the lecture</h1>
3 <form class="joinLectureOptions">
4 <div>
5 <label for="features">Which features you want to use with this
browser?</label>
6 </div>
7 <div>
8 <label class="lectureOptions">
```

```

9     <input type="checkbox" ng-model="useQuestions" checked>
10     Lecture questions
11     </label>
12     <label class="lectureOptions">
13         <input type="checkbox" ng-model="useWall" checked>
14         Lecture wall
15     </label>
16 </div>
17 </form>
18 <div class="buttons">
19     <label class="lectureOptions">
20         <button ng-click="useOptions(useQuestions,useWall)">Submit</button>
21     </label>
22 </div>
23 </div>

```

**File: tulostettavat/static/templates/questionPreview.html**

```

1 <div ng-controller="QuestionPreviewController" class="popUpWindow">
2     <h1>Question preview</h1>
3
4     <div class="questionPreview">
5         <h3> <span ng-bind-html="json.TITLE"></span></h3>
6         <h4> <span ng-bind-html="json.QUESTION"></span></h4>
7
8         <div id="questionTypeAndTimeLimit">
9             Time limit: <span ng-if="json.TIMELIMIT.length > 0" ng-
bind="json.TIMELIMIT">{{ json.TIMELIMIT }} seconds</span>
10             <span ng-if="json.TIMELIMIT.length <= 0">No
time limit.</span>
11         </div>
12
13         <table>
14             <div>
15                 <tr ng-if="(json.TYPE == 'true-false')">
16                     <td style="visibility:hidden;"></td>
17                     <td>True</td>
18                     <td>False</td>
19                 </tr>
20                 <tr ng-if="json.TYPE == 'matrix'">
21                     <td style="visibility:hidden;"></td>
22                     <td ng-repeat="header in json.DATA.HEADERS" ng-
bind-html="header.text" ng-show="header.text.length > 0"><p>{{
header.text }}</p></td>
23                 </tr>
24             </div>
25
26             <tr ng-repeat="row in json.DATA.ROWS">
27                 <td ng-bind-html="row.text" ng-show="row.text.length
> 0"> {{ row.text }} </td>
28                 <td ng-repeat="column in row.COLUMNS">
29                     <div ng-if="(column.answerFieldType ==
'radio')"><input type="radio" disabled> </div>
30                     <div ng-if="(column.answerFieldType ==
'checkbox')"><input type="checkbox" disabled></div>
31                     <div ng-if="(column.answerFieldType ==
'text')"><textarea disabled></textarea></div>
32                 </td>

```

```

33         </tr>
34     </table>
35 </div>
36 <div class="buttons">
37     <button ng-show='inLecture' ng-click='ask()'
class='timButton questionButton'>Ask</button>
38     <button ng-click='editQuestion()' class='timButton
questionButton'>Edit</button>
39     <!-- <button ng-click='deleteQuestion()' class="timButton
questionButton">Delete</button> -->
40     <button ng-click='close()' class='timButton
questionButton'>Close</button>
41 </div>
42 </div>

```

**File: tulostettavat/static/templates/showStatisticsToQuestion.html**

```

1 <!--RESIZABLE Didn't work with just adding resizable and 100% 100%
-->
2 <div class="popUpWindow">
3     <div class="show-answer" ng-
controller="ShowStatisticsToQuestionController">
4         <h1>Statistics</h1>
5         <div class="statisticsWindow">
6             <h2 ng-bind-html="questionTitle"></h2>
7             <show-chart-directive canvas="answerChart"
control="dynamicAnswerShowControl" ></show-chart-directive>
8             <div id="chartDiv" class="chart">
9                 <canvas id="answerChart" width="400" height="300"></canvas>
10            </div>
11        </div>
12        <div class="buttons">
13            <button ng-click="close()">Close</button>
14        </div>
15    </div>
16 </div>

```

**File: tulostettavat/static/templates/start\_lecture.html**

```

1 <div class="popUpWindow" ng-controller="CreateLectureCtrl">
2     <h1>Create Lecture</h1>
3     <form class="createLecture" id="lectureForm" name="form">
4         <div id="infoFields">
5             <div>
6                 <label>Lecture name:
7                 <input id="lCode" type="text" name="code" size="45"
ng-model="lectureCode" /></label>
8             </div>
9             <div>
10                <label>Lecture access code:<br>(Optional)
11                <input type="text" name="password" ng-
model="password" size="45" /></label>
12            </div>
13        </div>
14        <div class="startingTime">

```

```

15         Starting time:
16         <div id="startInfo">
17             <div>
18                 <label>Date:
19                 <input id="startDate" name="startDate" ng-
model="startDate" type="text" /></label>
20                 Time:
21                 <input type="text" name="startHh" id="startHour"
name="hour" maxlength="2" size="2" placeholder="hh"
22                     ng-model="startHour" />
23                 :
24                 <input type="text" name="startMm" id="startMin"
name="min" maxlength="2" size="2" placeholder="mm"
25                     ng-model="startMin" /></div>
26                 <div id="studentsJoinEarly"><label><input
type="checkbox" ng-model="earlyJoining">Allow students to join 15
minutes prior to the start of the lecture.</label></div>
27             </div>
28         </div>
29         <div class="endingTime">
30             Ending time:
31             <div id="endInfo">
32                 <input type="radio" id="dateChosen2"
name="dateStop" ng-click="enableDate2()"
33                     ng-model="dateChosen" ng-
checked="dateCheck" />
34                 Use date:
35                 <div id="endDateDiv">
36                     <label>Date:
37                     <input type="text" id="endDate" ng-
model="endDate" ng-disabled="!dateCheck"/>
38                     </label>
39                     Time:
40                     <input type="text" id="endHour"
name="endHour" maxlength="2" size="2" placeholder="hh"
41                         ng-model="endHour" ng-
disabled="!dateCheck"/>:
42                     <input type="text" id="endMin"
name="endMin" maxlength="2" size="2" placeholder="mm"
43                         ng-model="endMin" ng-
disabled="!dateCheck"/>
44                     </div>
45                 <input type="radio" id="durationChosen"
name="dueStop" ng-click="enableDue2()" ng-model="durationChosen" ng-
checked="dueCheck" />
46                 Duration:
47                 <div id="durationDiv">
48                     <label>Hours:
49                     <input id="durationHour" type="text"
name="durationHour" maxlength="2" size="2"
50                         ng-model="durationHour" ng-
disabled="!useDuration" /></label>
51                     <label>Min:
52                     <input id="durationMin" type="text"
name="durationMin" maxlength="3" size="3"
53                         ng-model="durationMin" ng-
disabled="!useDuration" /></label>
54                     </div>
55                 </div>
56             </div>
57         </div>

```

```

58         <p id="errorMessage" ng-if="error_message.length" ng-bind-
html="error_message"></p>
59
60     </form>
61     <div class="buttons">
62         <button id="btnSubmitLecture" type="button" ng-
click="submitLecture()" ng-show="!editMode">Create</button>
63         <button id="btnSubmitLecture" type="button" ng-
click="submitLecture()" ng-show="editMode">Update</button>
64         <button type="cancel" ng-
click="cancelCreation()">Cancel</button>
65     </div>
66 </div>

```

**File: tulostettavat/templates/base.html**

```

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      {% block head %}
5          <base href="{{ request.path }}">
6          <meta charset="utf-8">
7          <meta name="viewport" content="width=device-width, initial-
scale=1">
8          <meta http-equiv="X-UA-Compatible" content="IE=edge">
9          <link rel="stylesheet" href="{{ url_for('static',
filename='stylesheet.css') }}">
10         <link rel="stylesheet" href="{{ url_for('bower.static',
filename='jquery-ui/themes/base/jquery-ui.css') }}">
11         <script src="{{ url_for('bower.static',
filename='jquery/dist/jquery.js') }}"></script>
12         <script src="{{ url_for('bower.static', filename='jquery-
ui/jquery-ui.js') }}"></script>
13         <script src="{{ url_for('bower.static',
filename='waypoints/lib/jquery.waypoints.js') }}"></script>
14         <script src="{{ url_for('bower.static',
filename='waypoints/lib/shortcuts/inview.js') }}"></script>
15         <script src="{{ url_for('bower.static',
filename='angular/angular.js') }}"></script>
16         <script src="{{ url_for('bower.static', filename='angular-
sanitize/angular-sanitize.js') }}"></script>
17         <script src="{{ url_for('bower.static', filename='ng-file-
upload/angular-file-upload-all.js') }}"></script>
18         <!--[if lt IE 9]>
19         <script
src="http://html5shiv.googlecode.com/svn/trunk/html5.js"></script>
20         <![endif]-->
21
22         <title>{% block title %}{% endblock %} - TIM</title>
23     {% endblock %}
24 </head>
25 <body>
26 {% with messages = get_flashed_messages() %}
27     {% if messages %}
28         <ul class="flashes">
29             {% for message in messages %}
30                 <li>{{ message }}</li>
31             {% endfor %}

```

```

32     </ul>
33     {% endif %}
34 {% endwith %}
35 <div id="header">
36     {% block header %}
37         {% if self.title() != "TIM" %}
38             <div class="doctitle">{{ self.title() }}</div>
39         {% endif %}
40         {% include 'loginlogout.html' %}
41         <a href="/">Main page</a>
42         {% if session.user_id %}
43             |
44             <a href="/settings">Customize TIM</a>
45         {% endif %}
46
47         {% if is_owner %}
48             |
49             <a href="/manage/{{ docID }}">Manage</a>
50         {% endif %}
51
52         {% if self.title() != "TIM" and is_owner %}
53             |
54             {% if teacher_mode %}
55                 <a href="/view/{{ docID }}">Student view</a>
56             {% else %}
57                 <a href="/teacher/{{ docID }}">Teacher view</a>
58             {% endif %}
59             |
60         {% elif objName == "folder" %}
61             |
62             <a href="/view/{{ docID }}">View</a>
63         {% elif doc %}
64             |
65             <a href="/view/{{ doc.name }}">Student view</a>
66             |
67             <a href="/teacher/{{ doc.name }}">Teacher view</a>
68         {% endif %}
69         {% if self.title() != "TIM" %}
70             {% if lecture_mode %}
71                 <a href="/view/{{ docID }}">Material view</a>
72             {% else %}
73                 <a href="/lecture/{{ docID }}">Lecture view</a>
74             {% endif %}
75         {% endif %}
76     {% endblock %}
77 </div>
78 <div class="material">
79     <!-- <h1>{{ self.title() }}</h1> -->
80     {% block content %}{% endblock %}
81 </div>
82 <div id="footer">
83     {% block footer %}
84     {% endblock %}
85 </div>
86 </body>
87 </html>

```

**File: tulostettavat/templates/join\_lecture.html**

```
1 <fieldset class="popUpWindow">
2   <h1>Join the lecture</h1>
3   <form class="joinLecture">
4     <div>
5       <label for="lecturePassword" >Password:</label>
6       <input type="text" name="lecturePassword" size="45" maxlength="50">
7     </div>
8     <div>
9       <label for="lectureView">View:</label>
10      <div class="choose">
11        <label><input type="checkbox" name="showLectureNotes">Lecture
Notes</label>
12        <label><input type="checkbox" name="showQuestions">Questions</label>
13        <label><input type="checkbox" name="showWall">Wall</label>
14      </div>
15    </div>
16  </form>
17 </fieldset>
```

**File: tulostettavat/templates/lectureInfo.html**

```
1 {% extends "base.html" %}
2 {% block title %}Info{% endblock %}
3 {% block head %}
4   {{ super() }}
5
6   <script src="{{ url_for('bower.static', filename='ace-builds/src-
min-noconflict/ace.js') }}"></script>
7   <script src="{{ url_for('bower.static', filename='angular-ui-
ace/ui-ace.js') }}"></script>
8   <script src="{{ url_for('static',
filename='scripts/checkModules.js') }}"></script>
9
10  <script>
11
12      var modules = checkModules([
13          {% for dep in jsMods %}
14              "{{ dep|safe}}",
15          {% endfor %}
16      ]);
17
18  </script>
19
20  <script src="{{ url_for('static',
filename='scripts/Chart.min.js') }}"></script>
21  <script src="{{ url_for('static', filename='scripts/timApp.js')
}}"></script>
22  <script src="{{ url_for('static',
filename='scripts/controllers/lectureInfoController.js') }}"></script>
23  <script src="{{ url_for('static',
filename='scripts/directives/showChartDirective.js') }}"></script>
24  <link rel="stylesheet" href="{{ url_for('static',
filename='css/lectureInfo.css') }}">
25
26  <script>
```

```

27     var docId = {{docId|tojson|safe}};
28     var lectureId = {{lectureId|tojson|safe}};
29     var lectureCode = {{lectureCode|tojson|safe}};
30     var lectureStartTime = {{lectureStartTime|tojson|safe}};
31     var lectureEndTime = {{lectureEndTime|tojson|safe}};
32 </script>
33
34 {% endblock %}
35 {% block content %}
36     <div ng-app="timApp" ng-controller="LectureInfoController">
37         <h1 ng-bind="lectureCode"></h1>
38
39         <h3>Lecture info</h3>
40
41         <div>
42             <strong>Start time:</strong>
43
44             <p ng-bind="lectureStartTime"></p>
45
46             <strong>End time:</strong>
47
48             <p ng-bind="lectureEndTime"></p>
49
50             <div ng-show="isLecturer">
51                 <!--TODO: Preview questions. Needs directive from
the question preview and then just use it.-->
52                 <strong>Questions asked:</strong>
53                 <ul>
54                     <li ng-repeat="question in questions" ng-bind-
html="question.question_title">
55                         {{ "{{$ question.question_title }}" }}
56                     </li>
57                 </ul>
58             </div>
59         </div>
60
61         <h3>Lecture wall</h3>
62         <label>
63             <textarea data-ng-model="msg" readonly
id="lectureInfoWall"></textarea>
64         </label>
65
66         <div>
67             <h3>Find answers <span ng-show="!isLecturer" ng-
bind="userName"></span></h3>
68             <label ng-show="isLecturer">UserName
69                 <select ng-model="userName" ng-options="user for
user in answerers">
70                 </select>
71             </label>
72
73             <input type="button" ng-click="drawCharts(userName)"
value="Show answers">
74             <input ng-show="isLecturer" type="button" ng-
click="drawCharts()" value="Show all">
75
76             <div>
77                 <div ng-repeat="question in questions"
style="margin-bottom: 2em">
78                     <p class="bold" ng-show="showPoints" ng-bind-
html="question.question_title">{{ "{{$question.question_title}}" }}</p>

```



```

79         <show-chart-directive canvas='answerChart{{
"{{question.question_id }}" }}'
80
control='dynamicAnswerShowControls[$index]'
81                                     class="chart"></show-
chart-directive>
82         <canvas id='answerChart{{
"{{question.question_id }}" }}' width='400' height='300'></canvas>
83         <p ng-show="showPoints">Points: <span ng-
bind="points[$index]"> </span></p>
84         </div>
85     </div>
86
87     <div id="answersDiv">
88         <p id="infoBox"></p>
89     </div>
90 </div>
91 <div style="margin-top: 10em" ng-show="isLecturer">
92     <h3>Delete lecture</h3>
93     <input type="button" ng-click="deleteLecture()"
value="Delete lecture">
94 </div>
95 </div>
96 {% endblock %}
97

```

**File: tulostettavat/templates/lectureinfo\_menu.html**

```

1  <!--html for upper menu-->
2  <div class="menuSection">
3      <div id="largeMenu">
4          <div class="lectureSection" ng-show="!inLecture">
5              <h1>Now:</h1>
6
7              <div ng-show="lectures.length > 0" class="lectureArea">
8                  <select ng-change="clearChange()" ng-
model="chosenLecture"
9                      ng-options="lecture.lecture_code for lecture
in lectures">
10                     </select>
11                     <!--<input id="passwordInput" ng-
model="passwordQuess" placeholder="Access code"
12                         ng-keypress="passEnterPressed($event)"
size="7" ng-disabled="!chosenLecture.is_access_code">-->
13
14                     <div class="iconSection" ng-show="lectures.length >
0">
15                         
17                             
19                             
22             </div>
23
24     </div>
25     <div ng-show="lectures.length <= 0">
26         <p>No running lectures</p>
27
28         <div class="iconSection">
29             
32         </div>
33     </div>
34 </div>
35 <div class="lectureSection" ng-show="inLecture">
36     <p>Currently joined in: </p>
37
38     <h1 ng-bind="lectureName"></h1>
39
40     <p ng-bind="lectureStartTime"></p>
41
42     <p ng-bind="lectureEndTime"></p>
43
44     <div class="iconSection">
45         
47         
49         
51     </div>
52 </div>
53
54 <div class="lectureSection" ng-show="!inLecture">
55     <h1>Later:</h1>
56
57     <div class="lectureArea">
58         <p ng-show="futureLectures.length <= 0">No upcoming
lectures</p>
59
60         <div ng-show="futureLectures.length > 0">
61             <select ng-model="futureLecture"
62                 ng-options="lecture.lecture_code + ' ' +
lecture.lecture_start for lecture in futureLectures">
63             </select>
64         </div>
65         <div class="iconSection" ng-
show="futureLectures.length > 0">
66             
68             
70             </div>
71         </div>
72     </div>
73     <div class="loginSection">
74         {% include 'loginlogout.html' %}
75     </div>
76
77 </div>
78 <div ng-controller="SmallMenuCtrl">
79     <div class="smallMenu" ng-show="!inLecture">
80         <div class="current">
81             <h1 ng-click="openCurrentLectureMenu()">Show current
82                 <br>lectures</h1>
83         </div>
84         <div class="future">
85             <h1 ng-click="openFutureLectureMenu()">Show future
86                 <br>lectures</h1>
87         </div>
88         <div id="smallLogin">
89             {% if session.user_id %}
90                 <span>Logged in as <br>{{ session.user_name
}}</span>
91                 <form method="POST" action="/logout">
92                     <input type="submit" value="Logout">
93                 </form>
94             {% endif %}
95         </div>
96     </div>
97     <div class="smallMenu" ng-show="inLecture">
98         <div class="currently">
99             <p>Currently:</p>
100
101             <h2 ng-bind="lectureName"></h2>
102
103             <div class="smallIconSection">
104                 
106                 
108                 
110             </div>
111         </div>
112         <div id="smallLogin">
113             {% if session.user_id %}
114                 <span>Logged in as <br>{{ session.user_name
}}</span>

```

```

115         <form method="POST" action="/logout">
116             <input type="submit" value="Logout">
117         </form>
118         {% endif %}
119     </div>
120 </div>
121 <div class="lecturesList">
122     <div id="currentList">
123         {% raw %}
124         <ul>
125             <li ng-show="currentLecturesList.length > 0"
ng-repeat="lecture in currentLecturesList">
126                 <p ng-click="selectCurrentLecture()">{{
lecture.lecture_code }}<input style="margin-left: 5px;" type="submit"
127 value="Join" ng-
click="joinLecture(lecture.lecture_code,lecture.is_access_code)"></p>
128             </li>
129             <li ng-show="currentLecturesList.length == 0">
130                 <p>No lectures</p>
131             </li>
132             <li ng-show="isLecturer"><p ng-
click="toggleLecture()" id="addLecture1"> Add new lecture </p></li>
133                 {% endraw %}
134             </ul>
135         </div>
136     <div id="futureList">
137         {% raw %}
138         <ul>
139             <li ng-repeat="lecture in futureLecturesList">
140                 <p> {{ lecture.lecture_code }}<input
type="submit" ng-show="isLecturer" value="Start"></p>
141             </li>
142             <li ng-show="futureLecturesList.length == 0">
143                 <p>No lectures</p>
144             </li>
145             <li ng-show="isLecturer"><p ng-
click="toggleLecture()" id="addLecture2"> Add new lecture </p></li>
146             </ul>
147                 {% endraw %}
148         </div>
149     </div>
150 </div>
151 </div>
152 </div>

```

**File: tulostettavat/templates/lectureinfo\_menu\_min.html**

```

1 <!DOCTYPE html>
2 <html>
3 <body>
4     <link rel="stylesheet" href="../../static/menustyle.css">
5     <div class="menuSectionMin">
6         <div class="lectureSectionMin">
7             <p>
8             Current lecture.
9             </p>
10             
11     </div>
12     <div class="loginSectionMin">
13         {% include 'loginlogout.html' %}
14     </div>
15 </div>
16
17 <script>
18
19 </script>
20
21 </body>
22 </html>

```

**File: tulostettavat/templates/matrix.html**

```

1 <div id="matrix" class="matrix">
2     <div id="check" ng-if="question.type == 'matrix'">
3         <label>Answer type:</label>
4         <select name="answerType" ng-model="question.matrixType" ng-
dropdown
5             ng-options="item.value as item.label for item in
answerFieldTypes ">
6             <option value="" disabled selected> -- select answer type
--</option>
7
8         </select>
9     </div>
10     <div class="questionTable">
11         <table id="question-table">
12             <thead>
13                 <!---Top "hidden row" with + and - buttons --->
14                 <tr class="invisibleRow" ng-if="question.type ==
'matrix'">
15                     <th style="border: none; background-color: inherit">
16                     <th style="border: none; background-color:
inherit"></th>
17                     <th ng-repeat="item in columnHeaders" style="border:
none; background-color: inherit">
18                         <div style="top:30px; position:relative;">
19                             <button ng-click="addCol($index)"
style="float:left; margin-left: -20px;">+</button>
20                             <button class="negative" ng-
click="delCol($index)" style="float:right; margin-right: 40px;">-
</button>
21                             </div>
22                         </th>
23                 </tr>
24
25                 <!--- ends --->
26                 <tr ng-show="question.type == 'matrix' || question.type
== 'true-false'">
27                     <th style="border-left: none; border-top: none;
border-bottom: none; background-color:inherit;">
28                     </th>
29                     <th>
30                     </th>
31

```

```

32         <th ng-show="question.type == 'true-false'"
class="true-false-title">True</th>
33         <th ng-show="question.type == 'true-false'"
class="true-false-title">False</th>
34
35         <th ng-repeat="item in columnHeaders" ng-
if="question.type == 'matrix'" id="row-heading">
36             <div class="cart">
37                 <textarea class="rowHeading" form="question-
form" rows="1" cols="20"
38                     ng-
model="columnHeaders[$index].text"></textarea>
39                     <br/>
40                 </div>
41             </th>
42         <th ng-if="question.type == 'matrix'">
43             <button style="width: 150px; height: 50px;" ng-
click="addCol(-1)">+</button>
44         </th>
45
46     </tr>
47 </thead>
48 <tbody>
49 <tr ng-repeat="row in rows">
50     <th id="buttons">
51         <div style="left:18px; position:relative;">
52             <button ng-click="addRow($index)"
style="float:right; margin-top:-42px;">+</button>
53             <button ng-click="delRow($index)"
class="negative" style="float:right">-</button>
54         </div>
55     </th>
56     <th id="row-heading">
57         <textarea class="rowHeading" ng-
model="row.text" form="question-form" rows="1"
58             cols="20"></textarea>
59     </th>
60     <td ng-repeat="column in row.columns" class="answer-
columns">
61         <!-- Horizontal radio-button-->
62         <div ng-if="(question.matrixType ==
'radiobutton-horizontal' && question.type=='matrix') || question.type ==
'true-false'">
63             <!-- ng-model="row.id" -->
64             <div><input type="radio"
65                 ng-value="column.id"
66                 placeholder=""
67                 disabled/></div>
68             <div><input type="text"
69                 size="1"
70                 placeholder="pts"
71                 ng-model="column.points" /></div>
72         </div>
73         <!-- Vertical radio-button -->
74         <div ng-if="question.type != 'true-false'">
75             <div ng-if="(question.matrixType ==
'radiobutton-vertical' && question.type=='matrix') || question.type ==
'radio-vertical'">
76                 <div><input type="radio"
77                     name="column.rowId"
78                     ng-value="column.id"

```

```

79         placeholder=""
80         disabled/></div>
81     <div><input type="text"
82         size="1"
83         placeholder="pts"
84         ng-model="column.points"/></div>
85     </div>
86     <!-- Text area-->
87     <div ng-if="question.type != 'radio-
button'">
88         <textarea ng-if="question.matrixType ==
'textArea' && question.type=='matrix'"
89             type="text"
90             placeholder=""
91             id="matrix-textarea"
92             disabled></textarea>
93         <!-- Checkbox-->
94         <div ng-if="(question.matrixType ==
'textArea' && question.type=='matrix') || question.type=='checkbox-
vertical'">
95             <div><input type="checkbox"
96                 ng-model="row.id"
97                 disabled/></div>
98             <div><input type="text"
99                 size="1"
100                placeholder="pts"
101                ng-
model="column.points"/></div>
102             </div>
103         </div>
104     </div>
105 </td>
106     <!-- ADD COMMENTS FIELD HERE. Appropriate edits
need to be done to questionJson at view_html.js and then displaying them
at directives/dynamicanswersheet.js -->
107 </tr>
108 <tr>
109     <td id="emptyBlock"></td>
110     <th>
111         <div>
112             <button id="addRow" ng-click="addRow(-
1)">+</button>
113         </div>
114     </th>
115 </tr>
116
117
118 </tbody>
119 </table>
120 </div>
121 </div>

```

**File: tulostettavat/templates/question.html**

```

1 <div class="ng-scope" style="text-align:left" ng-
controller="QuestionController">
2     <div class="popUpWindow" id="questionWindow">
3         <h1>Create question</h1>

```

```

4         <form class="createQuestion" id="question-form">
5             <div id="questionName">
6                 <label>
7                     Question title:
8                     <input id="qTitle" name="question.title"
type="text" ng-model="question.title"/>
9                 </label>
10            </div>
11            <div id="question-textarea-div">
12                <div>Question:</div>
13                <textarea id="question-textarea" name="question"
rows="3" ng-model="question.question"></textarea>
14            </div>
15            <div id="qType">
16                <label>Question type:
17                <select name="question.type" ng-
model="question.type" ng-dropdown required ng-
change="createMatrix(question.type)" >
18                    <option value="" ng-option disabled
selected> -- select question type --</option>
19                    <option ng-option value="radio-
vertical">Multiple choice (radio button) </option>
20                    <option ng-option value="checkbox-
vertical">Multiple choice (checkbox)</option>
21                    <option ng-option value="true-
false">True/False</option>
22                    <option ng-option value="matrix">Many
rows and columns</option>
23                </select>
24                </label>
25            </div>
26            <div ng-if="question.type" >
27                {% include 'matrix.html' %}
28            </div>
29
30            <br />
31            <br />
32
33
34            <div id="questionTiming">
35                <div><label>Set question timing:</label></div>
36            <div id="questionStart">
37                <label>Starting time:</label>
38                <input type="checkbox" ng-model="question.startTimeSelected" />
39                <div class="questionStartTime">
40                    <label>Date:<input type="text"
id="calendarStart" ng-disabled="!question.startTimeSelected"></label>
41                    Time:
42                    <input type="text" id="startHour"
name="hour" maxlength="2" size="2" placeholder="hh"
43                        is-valid-change="" ng-
model="question.startHour" ng-disabled="!question.startTimeSelected">
44                    :
45                    <input type="text" id="startMin"
name="min" maxlength="2" size="2" placeholder="mm"
46                        is-valid-change="" ng-
model="question.startMin" ng-disabled="!question.startTimeSelected">
47                </div>
48            </div>
49            <div id="questionTimer">
50                <label>Duration:</label>

```



```

51         <input type="checkbox" ng-model="question.endTimeSelected" />
52         <div id="durationDiv" class="questionTimer">
53             <input id="durationHour" type="text"
name="hours" maxlength="2" size="2" ng-model="question.timeLimit.hours"
ng-disabled="!question.endTimeSelected"> h
54             <input id="durationMin" type="text"
name="minutes" maxlength="2" size="2" ng-
model="question.timeLimit.minutes" ng-
disabled="!question.endTimeSelected"> m
55             <input id="durationSec" type="text"
name="seconds" maxlength="2" size="2" ng-
model="question.timeLimit.seconds" ng-
disabled="!question.endTimeSelected"> s
56         </div>
57     </div>
58         </div>
59
60     </form>
61     <p class="error_message" id="errorMessage" ng-
if="error_message.length" ng-bind-html="error_message"></p>
62     <div class="buttons" id="question_buttons">
63         <button ng-click="createQuestion(question.question,
question.type)">Save</button>
64         <button ng-click="close()">Cancel</button>
65         <span ng-if="(question.question_id)"> <button ng-
click="deleteQuestion()">Delete</button> </span>
66     </div>
67 </div>
68 </div>

```

**File: tulostettavat/templates/questioninfo.html**

```

1 <fieldset class="popUpWindow">
2 <div>
3 <h1>Question info</h1>
4 <div class="questioninfoWindow">
5 <div class="sectionDetails">
6 <label>Question:</label>
7 <label>Time remaining:</label>
8 </div>
9 <div class="sectionDetails">
10 <label></label>
11 <div>
12 <div class="sectionDetails">
13 <label>Answers:</label>
14 <label>Connected:</label>
15 <div class="buttons">
16 <button type="button" ng-click="close()">Close</button>
17 </div>
18 </div>
19 <div>
20 </div>
21 </fieldset>

```

**File: tulostettavat/templates/view\_html.html**

```

1  {% extends "base.html" %}
2  {% block title %}{{ docName }}{% endblock %}
3  {% block head %}
4      {{ super() }}
5      <script src="{{ url_for('static',
filename='scripts/checkModules.js') }}"></script>
6
7      {% if teacher_mode %}
8          <script src="{{ url_for('bower.static', filename='ng-
table/dist/ng-table.js') }}"></script>
9          <script src="{{ url_for('bower.static', filename='ng-table-
export/ng-table-export.js') }}"></script>
10         {#          <link rel="stylesheet" href="{{
url_for('bower.static', filename='ng-table/dist/ng-table.css') }}">#}
11         {% endif %}
12
13         {% for script in js %}
14             <script src="{{ script }}"></script>
15         {% endfor %}
16
17         <script>
18
19             var modules = checkModules([
20                 {% for dep in jsMods %}
21                     "{{ dep|safe}}",
22                 {% endfor %}
23                 {% if teacher_mode %}
24                     "ngTable", "ngTableExport "
25                 {% endif %}
26             ]);
27
28         </script>
29
30         <script src="{{ url_for('bower.static', filename='ace-
builds/src-min-noconflict/ace.js') }}"></script>
31         <script src="{{ url_for('bower.static', filename='ace-
builds/src-min-noconflict/ext-language_tools.js') }}"></script>
32         <script src="{{ url_for('bower.static', filename='angular-ui-
ace/ui-ace.js') }}"></script>
33         <script src="{{ url_for('static', filename='scripts/timApp.js')
}}"></script>
34         <script src="{{ url_for('static',
filename='scripts/view_html.js') }}"></script>
35         <script src="{{ url_for('static',
filename='scripts/pareditor.js') }}"></script>
36         <script src="{{ url_for('static',
filename='scripts/draggable.js') }}"></script>
37         <script src="{{ url_for('static',
filename='scripts/resizable.js') }}"></script>
38         <script src="{{ url_for('static',
filename='scripts/answerbrowser.js') }}"></script>
39         <link rel="stylesheet" href="{{ url_for('bower.static',
filename='katex-build/katex.min.css') }}">
40         <script src="{{ url_for('bower.static', filename='katex-
build/katex.min.js') }}"></script>
41         <script src="{{ url_for('static',
filename='scripts/sidebarMenuCtrl.js') }}"></script>
42
43         <!-- Script to load question from another file -->
44         <script>
45             $(function () {

```

```

46         $("#question").load("../..../question");
47     });
48     </script>
49
50     <link rel="stylesheet" href="{ { url_for('static',
filename='css/popUp.css') } }">
51     <link rel="stylesheet" href="{ { url_for('static',
filename='css/style.css') } }">
52     <link rel="stylesheet" href="{ { url_for('static',
filename='css/menustyle.css') } }">
53     <link rel="stylesheet" href="{ { url_for('static',
filename='css/windowstyle.css') } }">
54     <link rel="stylesheet" href="{ { url_for('static',
filename='css/progressbarstyle.css') } }">
55
56
57
58     {% if teacher_mode %}
59         <script src="{ { url_for('static',
filename='scripts/userlistController.js') } }"></script>
60     {% endif %}
61
62     {% if lecture_mode %}
63         <script src="{ { url_for('static',
filename='scripts/lectureController.js') } }"></script>
64         <script src="{ { url_for('static',
filename='scripts/jsDatePick.min.1.3.js') } }"></script>
65         <script src="{ { url_for('static',
filename='scripts/controllers/answerToQuestionController.js')
} }"></script>
66         <script src="{ { url_for('static',
filename='scripts/directives/popUpDialog.js') } }"></script>
67         <script src="{ { url_for('static',
filename='scripts/smallMenuCtrl.js') } }"></script>
68         <script src="{ { url_for('static',
filename='scripts/Chart.min.js') } }"></script>
69         <script src="{ { url_for('static',
filename='scripts/controllers/showStatisticsToQuestionController.js')
} }"></script>
70         <script src="{ { url_for('static',
filename='scripts/directives/showChartDirective.js') } }"></script>
71         <script src="{ { url_for('static',
filename='scripts/directives/dynamicAnswerSheet.js') } }"></script>
72         <script src="{ { url_for('static',
filename='scripts/createLectureCtrl.js') } }"></script>
73         <script src="{ { url_for('static',
filename='scripts/controllers/questionPreviewController.js')
} }"></script>
74
75         <link rel="stylesheet" href="{ { url_for('static',
filename='css/jsDatePick_ltr.min.css') } }">
76     {% endif %}
77
78     {% for cssFile in cssFiles %}
79         <link rel="stylesheet" href="{ { cssFile } }">
80     {% endfor %}
81
82     {% for cssFile in custom_css_files %}
83         <link rel="stylesheet" href="{ { url_for('static',
filename='css/' + cssFile + '.css') } }">
84     {% endfor %}

```

```

85
86 <style type="text/css">
87     {{ custom_css }}
88 </style>
89 <script>
90     var docId = JSON.parse({{docID|tojson|safe}});
91     var docName = {{docName|tojson|safe}};
92     var version = {{version|tojson|safe}};
93     var rights = {{rights|tojson}};
94     var startIndex = {{start_index|tojson}};
95     var refererPath = {{request.path|tojson|safe}};
96     var teacherMode = {{teacher_mode|tojson}};
97     var lectureMode = {{lecture_mode|tojson}};
98     var users;
99     {% if teacher_mode %}
100         users = {{plugin_users|tojson}};
101     {% else %}
102         users = [{{current_user|tojson}}];
103     {% endif %}
104 </script>
105
106 {% endblock %}
107 {% block content %}
108     <div ng-app="timApp" class="paragraphs" ng-
controller="ViewCtrl">
109         <div id="kana"></div>
110
111         {% if lecture_mode %}
112             <div ng-controller="LectureController">
113                 {% include 'lectureinfo_menu.html' %}
114                 <div class="wall-behind" id="wall" ng-
show="useWall" tim-draggable-fixed resizable>
115                     <div class="wall-base" id="wallBase">
116                         <div class="wall-topbar" ng-
mousedown="checkDown($event)" ng-mouseup="checkUp($event)"
117                             ng-click="hideWall()">
118                             <span ng-bind="wallName">Wall</span>
119                             <span ng-show="!showWall &&
newMessagesAmount > 0" ng-bind="newMessagesAmountText"></span>
120                         </div>
121                         <div ng-show="showWall" class="wall-
content">
122                             <div class="wall-message-area">
123                                 <textarea id="wallArea" readonly
rows="20" cols="100">{{ " {{msg}} " }}</textarea>
124                             </div>
125                             <div class="wall-footer">
126                                 <div class="wall-buttons">
127                                     <label>
128                                         <input id="messagebox" ng-
model="newMsg" width="200"
129                                             ng-
keypress="chatEnterPressed($event)">
130                                         </label>
131                                         <!-- <button ng-
click="sendMessageEvent(newMsg)">Send</button> -->
132                                         <!-- <input type="checkbox" ng-
change="pollChanged()" ng-model="polling">Poll</button> -->
133                                         </div>
134
135                                         <div class="wall-info-buttons">

```

```

136                                     <label title="Shows name of the
sender">
137                                     <input type="checkbox" ng-
change="showInfo()" ng-model="messageName"/>Name
138                                     </label>
139                                     <label title="Shows sending
time">
140                                     <input type="checkbox" ng-
change="showInfo()" ng-model="messageTime"/>Time
141                                     </label>
142                                 </div>
143                    </div>
144            </div>
145
146            </div>
147        </div>
148        <pop-up-dialog show="showLectureOptions">
149            <ng-include
150                src="'{{ url_for('static',
filename='templates/lectureOptions.html') }}'"></ng-include>
151            </pop-up-dialog>
152
153            <pop-up-dialog show="showLectureForm">
154                <ng-include
155                    src="'{{ url_for('static',
filename='templates/start_lecture.html') }}'"></ng-include>
156            </pop-up-dialog>
157
158            <pop-up-dialog show="showStudentAnswers">
159                <ng-include
160                    src="'{{ url_for('static',
filename='templates/showStatisticsToQuestion.html') }}'"></ng-include>
161            </pop-up-dialog>
162
163            <pop-up-dialog show="showAnswerWindow">
164                <ng-include
165                    src="'{{ url_for('static',
filename='templates/answerToQuestion.html') }}'"></ng-include>
166            </pop-up-dialog>
167
168            <pop-up-dialog show="showLectureEnding">
169                <ng-include
170                    src="'{{ url_for('static',
filename='templates/lectureEnding.html') }}'"></ng-include>
171            </pop-up-dialog>
172            <pop-up-dialog show="showQuestionPreview">
173                <ng-include
174                    src="'{{ url_for('static',
filename='templates/questionPreview.html') }}'"></ng-include>
175            </pop-up-dialog>
176            <pop-up-dialog show='questionShown'>
177                <div>
178                    <ng-include src="'../..../question'"></ng-
include>
179                </div>
180            </pop-up-dialog>
181
182
183            <!-- TODO: Refactor the way that there is no
duplicates -->
184            <div ng-controller="SidebarMenuCtrl"

```

```

class="sidebarMenu">
185         <div ng-class="['contents']">
186             <div id="sidebarMenuButton" ng-
click="showSidebar()" title="Show menu">
187                 
190             </div>
191         <div class="showSidebar">
192
193             <div class="sideMenu">
194                 <div class="invisible" ng-show="indexTable.length > 0"></div>
195                 <div ng-class="['index-sidebar', indexSidebarState]">
196                     <h1>Index</h1>
197                     {% raw %}
198                     <ul>
199                         <li ng-repeat="entry in indexTable"
200                             ng-class="entry.state"
201                             ng-mouseup="entry.state = invertStateClearSelection($event,
entry.state)">
202                             <a class="indexentry" ng-class="entry.style" ng-click=""
203                                 href="{{entry.target}}">{{entry.text}}</a>
204                             <ul ng-show="entry.state == 'exp'">
205                                 <li ng-repeat="subentry in entry.items">
206                                     <a ng-class="subentry.style" ng-click=""
207                                         href="{{subentry.target}}">{{subentry.text}}</a>
208                                 </li>
209                             </ul>
210                         </li>
211                     </ul>
212                     {% endraw %}
213                 </div>
214
215                 <div class="invisible"></div>
216                 <div ng-class="['lectures-sidebar', lecturesSidebarState]">
217                     <h1>Lectures</h1>
218                     {% raw %}
219                     <ul>
220                         <h4>Current Lectures</h4>
221                         <li ng-repeat="lecture in currentLecturesList">
222                             <a href="{{ lecture.target }}">{{ lecture.lecture_code }}</a>
223                         </li>
224                         <p ng-show="currentLecturesList.length == 0">No current
lectures</p>
225                         <h4>Coming Lectures</h4>
226                         <li ng-repeat="lecture in futureLecturesList">
227                             <a href="{{ lecture.target }}">{{ lecture.lecture_code }}</a>
228                         </li>
229                         <p ng-show="futureLecturesList.length == 0">No coming lectures</p>
230                         <h4>Past Lectures</h4>
231                         <li ng-repeat="lecture in pastLecturesList">
232                             <a href="{{ lecture.target }}">{{ lecture.lecture_code }}</a>
233                         </li>
234                         <p ng-show="pastLecturesList.length == 0">No past lectures</p>
235                     </ul>
236                     {% endraw %}
237                 </div>
238
239                 <div class="invisible" ng-show="isLecturer"></div>

```

```

240     <div ng-class="['questions-sidebar', questionSidebarState]">
241         <h1>Questions</h1>
242         {% raw %}
243         <ul>
244             <h4>Lecture questions</h4>
245             <li ng-repeat="question in lectureQuestions">
246                 <a ng-click="showQuestionById(question.questionId)">{{
question.questionTitle }}</a>
247             </li>
248             <p ng-show="lectureQuestions.length == 0">No lecture questions</p>
249             <h4>Material questions</h4>
250             <li ng-repeat="question in materialQuestions">
251                 <a>{{ question.question }}</a>
252             </li>
253             <p ng-show="materialQuestions.length == 0">No material
questions</p>
254         </ul>
255         {% endraw %}
256     </div>
257
258     <div class="invisible" ng-show="isLecturer && inLecture"></div>
259     <div ng-class="['people-sidebar', peopleSidebarState]">
260         <h1>People</h1>
261         <h3>People logged-in: <span ng-bind="lecturerTable.length +
studentTable.length">None</span></h3>
262         {% raw %}
263         <ul>
264             <h4>Lecturer (<span ng-
bind="lecturerTable.length">None</span>)</h4>
265             <li ng-repeat="lecturer in lecturerTable">
266                 {{ lecturer.name }} > {{ lecturer.active }}
267             </li>
268             <p ng-show="lecturerTable.length == 0">No lecturers</p>
269             <h4>Students (<span ng-bind="studentTable.length">None</span>)</h4>
270             <li ng-repeat="person in studentTable">
271                 {{ person.name }} > {{ person.active }}
272             </li>
273             <p ng-show="studentTable.length == 0">No students</p>
274         </ul>
275         {% endraw %}
276     </div>
277
278     <div class="invisible"></div>
279     <div ng-class="['settings-sidebar', settingsSidebarState]">
280         <h1>Settings</h1>
281         <h3>Customize</h3>
282         <a href="/settings">Customize TIM</a>
283         {% raw %}
284         <ul ng-show="inLecture">
285             <h4>Lecture settings</h4>
286             <li>
287                 <label> Show wall
288                 <input type="checkbox" ng-model="useWall"
ng-change="changeUsingWall(useWall)">
289                 </label>
290             </li>
291             <li ng-show="!isLecturer">
292                 <label> Show questions
293                 <input type="checkbox" ng-model="useQuestions"
ng-change="changeUsingQuestions(useQuestions)">
294                 </label>
295             </li>
296         </ul>

```

```

297         </li>
298         <li ng-show="isLecturer">
299             <label> Show answers
300                 <input type="checkbox" ng-model="useAnswers"
301                     ng-change="changeUsingAnswers(useAnswers)">
302             </label>
303         </li>
304     </ul>
305     {% enddraw %}
306 </div>
307 </div>
308
309     <div class="menu">
310         <div id="sideBarIcons">
311             <img ng-click="toggleIndex()" ng-class="['menu-icon',
indexIconState]" ng-show="indexTable.length > 0"
312                 src="{{ url_for('static', filename='images/contents.png') }}"
width="50"
313                 height="50" title="Contents"/>
314             
317             
321             
324             
327         </div>
328     </div>
329
330 </div>
331         </div>
332     </div>
333 </div>
334 {% endif %}
335 {% if not lecture_mode %}
336     <div ng-controller="SidebarMenuCtrl"
class="sidebarMenu">
337         <div ng-class="['contents']">
338             
340         <div class="sideMenu">
341             <div class="invisible" ng-show="indexTable.length > 0"></div>
342             <div ng-class="['index-sidebar', indexSidebarState]">
343                 <h1>Index</h1>
344                 {% raw %}
345                 <ul>

```



```

346         <li ng-repeat="entry in indexTable"
347             ng-class="entry.state"
348             ng-mouseup="entry.state = invertStateClearSelection($event,
entry.state)">
349             <a class="indexentry" ng-class="entry.style" ng-click=""
350                 href="{{entry.target}}">{{entry.text}}</a>
351             <ul ng-show="entry.state == 'exp'">
352                 <li ng-repeat="subentry in entry.items">
353                     <a ng-class="subentry.style" ng-click=""
354                         href="{{subentry.target}}">{{subentry.text}}</a>
355                 </li>
356             </ul>
357         </li>
358     </ul>
359     {% endraw %}
360 </div>
361 <div class="invisible"></div>
362 <div ng-class="['settings-sidebar', settingsSidebarState]">
363     <h1>Settings</h1>
364
365     <h3>Customize</h3>
366     <a href="/settings">Customize TIM</a>
367 </div>
368 </div>
369         <div class="menu">
370             <img ng-click="toggleIndex()" ng-
class="['menu-icon', indexIconState]" ng-show="indexTable.length > 0"
371                 src="{{ url_for('static',
filename='images/contents.png') }}" width="50"
372                 height="50" title="Contents"/>
373             
376
377         </div>
378     </div>
379
380
381     </div>
382 </div>
383
384     {% endif %}
385     {% if teacher_mode %}
386     <div ng-controller="UserListController" id="users"
class="userlist" tim-draggable-fixed>
387         {% if plugin_users %}
388             Users with answers ({{ plugin_users|length
}}):<br>
389             {% raw %}
390             <table ng-table="tableParams" show-
filter="true" class="table ng-table-rowselected"
391                 export-csv="csv">
392                 <tr ng-repeat="user in $data"
393                     ng-click="user.$selected =
!user.$selected; changeUser(user)"
394                     ng-class="{ 'active': user.$selected}">
395                     <td data-title="'Full name'"
sortable="'real_name'" filter="{ 'real_name': 'text' }">
396                         {{user.real_name}}

```

```

397         </td>
398         <td data-title="'User name'"
sortable="'name'" filter="{ 'name': 'text' }">
399             {{user.name}}
400         </td>
401         <td data-title="'Tasks'"
sortable="'task_count'" filter="{ 'task_count': 'text' }">
402             {{user.task_count}}
403         </td>
404         <td data-title="'Total points'"
sortable="'total_points'"
405             filter="{ 'total_points': 'text'
}">
406             {{user.total_points}}
407         </td>
408     </tr>
409 </table>
410     <a ng-mousedown="csv.generate()" ng-href="{{
csv.link() }}" download="users_{{ docId }}.csv">Export
411         to CSV</a>
412     {% endraw %}
413     {% else %}
414         No answerers.
415     {% endif %}
416 </div>
417 {% endif %}
418 <div id="pars">
419     {% for t in text %}
420         <div class="par">
421             {% if 'task_id' in t %}
422                 <answerbrowser
423                     task-id="{{ t['task_id'] }}">
424                 </answerbrowser>
425             {% endif %}
426             <div class="parContent">
427                 {{ t['html']|safe }}
428             </div>
429         </div>
430     {% endfor %}
431 </div>
432 </div>
433 <p id="test"></p>
434
435 {% endblock %}

```