

```
package fi.paatti.mobile.views.confirmationview;

import com.vaadin.ui.Component;
import fi.paatti.mobile.applicationinfo.ViewIds;
import fi.paatti.mobile.mobileview.MobileViewLogic;
import fi.paatti.mobile.paattiapplication.MobileViewHandler;
import java.util.HashMap;

/**
 * Logic for the ConfirmationView.
 * <p/>
 * @author Lauri Satokangas, lauri.n.satokangas@student.jyu.fi
 * @date 2.4.2012
 * @since 0.0.3
 */
public class ConfirmationViewLogic implements MobileViewLogic {

    private final MobileViewHandler viewHandler;
    private final Object viewToBeOpenedWithConfirmation;

    /**
     * Constructor.
     * <p/>
     * @param viewHandler The program view handles.
     * @param viewToBeOpened The id of the view that will be opened after confirmation.
     */
    public ConfirmationViewLogic(MobileViewHandler viewHandler, Object viewToBeOpened) {
        this.viewHandler = viewHandler;
        this.viewToBeOpenedWithConfirmation = viewToBeOpened;
    }

    @Override
    public void footerButtonAction(Object buttonId) {
        if (buttonId == ConfirmationView.FOOTER_BUTTON_LEFT) {
            viewHandler.setContentView(ViewIds.KEEPSAMEVIEW);
        } else if (buttonId == ConfirmationView.FOOTER_BUTTON_RIGHT) {
            viewHandler.setContentView(viewToBeOpenedWithConfirmation);
        }
    }

    @Override
    public HashMap<Object, Component> getFooterComponents() {
        return viewHandler.getFooterComponents();
    }
}
```

```
}
```