

```
package fi.paatti.mobile.views.diaryview;

import com.vaadin.ui.Component;
import fi.paatti.mobile.applicationinfo.ViewIds;
import fi.paatti.mobile.mobileview.MobileView;
import fi.paatti.mobile.views.mainmenuview.MainMenuView;
import fi.paatti.mobile.mobileview.MobileViewLogic;
import fi.paatti.mobile.paattiapplication.MobileViewHandler;
import java.util.HashMap;

/**
 * Logic for the diary view.
 * <p/>
 * @author Lauri Satokangas, lauri.n.satokangas@student.jyu.fi @date 17.3.2012
 */
public class DiaryViewLogic implements MobileViewLogic {

    private final DiaryView diaryView;
    private final MobileViewHandler viewHandler;

    /**
     * The constructor.
     * @param viewHandler The applications view handler
     * @param diaryView The view that uses this logic
     */
    public DiaryViewLogic(MobileViewHandler viewHandler, DiaryView diaryView) {
        this.viewHandler = viewHandler;
        this.diaryView = diaryView;
    }

    @Override
    public void footerButtonAction(Object buttonId) {
        if (buttonId == DiaryView.FOOTER_BUTTON_LEFT) {
            viewHandler.setContentView(ViewIds.PREVIOUSVIEW);
        } else if (buttonId == DiaryView.FOOTER_BUTTON_MIDDLE) {} else if (buttonId == DiaryView.FOOTER_BUTTON_RIGHT) {
            // TODO: Save the diary entry.
            diaryView.clearDiaryText();
        }
        viewHandler.setFooterButtonEnabled(buttonId, true);
    }

    @Override
    public HashMap<Object, Component> getFooterComponents() {
        return viewHandler.getFooterComponents();
    }
}
```

```
}  
}
```