

```
package fi.paatti.mobile.views.mainmenuview;

import com.vaadin.ui.Component;
import fi.paatti.mobile.applicationinfo.ViewIds;
import fi.paatti.mobile.views.menuview.MenuViewLogic;
import fi.paatti.mobile.paattiapplication.MobileViewHandler;
import java.util.HashMap;

/**
 * The logic for applications main menu.
 * @author Lauri Satokangas, lauri.n.satokangas@student.jyu.fi
 * @date 11.3.2012
 */
public class MainMenuViewLogic implements MenuViewLogic {

    private final MainMenuView mainMenuView;
    private final MobileViewHandler viewHandler;

    /**
     * The constructor.
     * @param viewHandler The applications view handler.
     * @param mainMenuView The view that uses this logic.
     */
    public MainMenuViewLogic(MobileViewHandler viewHandler, MainMenuView mainMenuView) {
        this.viewHandler = viewHandler;
        this.mainMenuView = mainMenuView;
    }

    /**
     * {@inheritDoc}
     */
    @Override
    public void menuButtonAction(Object buttonId) {
        if (buttonId == MainMenuView.MENU_BUTTON_TOP) {
            viewHandler.setContentView(ViewIds.PROFILEMENUVIEW);
        } else if (buttonId == MainMenuView.MENU_BUTTON_CENTER) {
            viewHandler.setContentView(ViewIds.EVENTLISTVIEW);
        } else if (buttonId == MainMenuView.MENU_BUTTON_BOTTOM) {
            viewHandler.setContentView(ViewIds.OPENEVENTVIEW);
        }
    }

    /**
     * {@inheritDoc}
     */
}
```

```
*/
@Override
public void footerButtonAction(Object buttonId) {
    if (buttonId == MainMenuView.FOOTER_BUTTON_LEFT) {} else if (buttonId == MainMenuView.FOOTER_BUTTON_MIDDLE) {
        viewHandler.setContentView(ViewIds.ABOUTVIEW);
    } else if (buttonId == MainMenuView.FOOTER_BUTTON_RIGHT) {}
}

/**
 * {@inheritDoc}
 */
@Override
public HashMap<Object, Component> getMenuComponents() {
    return MainMenuView.getMenuComponents();
}

@Override
public HashMap<Object, Component> getFooterComponents() {
    return viewHandler.getFooterComponents();
}
}
```