

```
package fi.paatti.mobile.mobileview;

import com.vaadin.ui.Button;
import com.vaadin.ui.Button.ClickEvent;
import com.vaadin.ui.Component;
import java.util.HashMap;

/**
 * Listener for the MobileView.
 * <p/>
 * @author Lauri Satokangas, lauri.n.satokangas@student.jyu.fi
 * @date 11.3.2012
 */
public class MobileViewListener implements Button.ClickListener {

    private static final long serialVersionUID = 1L;
    private final MobileViewLogic logic;
    private final HashMap<Object, Component> footerComponents;

    /**
     * Constructor.
     * @param logic The logic for the listener.
     */
    public MobileViewListener(MobileViewLogic logic) {
        this.logic = logic;
        footerComponents = logic.getFooterComponents();
    }

    /**
     * Listening footer buttons.
     * <p/>
     * @param event The click event that was sent.
     */
    @Override
    public void buttonClick(ClickEvent event) {
        if (event.getButton().equals(footerComponents.get(MobileView.FOOTER_BUTTON_LEFT)) {
            logic.footerButtonAction(MobileView.FOOTER_BUTTON_LEFT);
        } else if (event.getButton().equals(footerComponents.get(MobileView.FOOTER_BUTTON_MIDDLE)) {
            logic.footerButtonAction(MobileView.FOOTER_BUTTON_MIDDLE);
        } else if (event.getButton().equals(footerComponents.get(MobileView.FOOTER_BUTTON_RIGHT)) {
            logic.footerButtonAction(MobileView.FOOTER_BUTTON_RIGHT);
        }
    }
}
```

```
}
```