

```
package fi.paatti.mobile.views.profilemenuview;

import com.vaadin.ui.Component;
import fi.paatti.mobile.applicationinfo.ViewIds;
import fi.paatti.mobile.paattiapplication.MobileViewHandler;
import fi.paatti.mobile.views.menuview.MenuViewLogic;
import java.util.HashMap;

/**
 * The logic for the profile view.
 * <p/>
 * @author Lauri Satokangas, lauri.n.satokangas@student.jyu.fi
 * @date 11.3.2012
 */
public class ProfileMenuViewLogic implements MenuViewLogic {

    private final ProfileMenuView profileView;
    private final MobileViewHandler viewHandler;

    /**
     * The constructor.
     * @param viewHandler The applications view handler.
     * @param profileView The view that uses this logic.
     */
    public ProfileMenuViewLogic(MobileViewHandler viewHandler, ProfileMenuView profileView) {
        this.viewHandler = viewHandler;
        this.profileView = profileView;
    }

    /**
     * {@inheritDoc}
     */
    @Override
    public void menuButtonAction(Object buttonId) {

        if (buttonId == ProfileMenuView.MENU_BUTTON_TOP) {
            viewHandler.setContentView(ViewIds.PROGRESSVIEW);
        } else if (buttonId == ProfileMenuView.MENU_BUTTON_CENTER) {
            viewHandler.setContentView(ViewIds.DIARYVIEW);
        } else if (buttonId == ProfileMenuView.MENU_BUTTON_BOTTOM) {
            viewHandler.setContentView(ViewIds.MESSAGEVIEW);
        }
    }
}
```

```
    }  
}  
  
/**  
 * {@inheritDoc}  
 */  
@Override  
public void footerButtonAction(Object buttonId) {  
    if (buttonId == ProfileMenuView.FOOTER_BUTTON_LEFT) {  
        viewHandler.setContentView(ViewIds.PREVIOUSVIEW);  
    } else if (buttonId == ProfileMenuView.FOOTER_BUTTON_MIDDLE) {  
        viewHandler.setContentView(ViewIds.MAINMENUVIEW);  
    } else if (buttonId == ProfileMenuView.FOOTER_BUTTON_RIGHT) {}  
}  
  
/**  
 * {@inheritDoc}  
 */  
@Override  
public HashMap<Object, Component> getMenuComponents() {  
    return profileView.getMenuComponents();  
}  
  
@Override  
public HashMap<Object, Component> getFooterComponents() {  
    return viewHandler.getFooterComponents();  
}  
}
```